

Colored Shingle Roof Coating

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard. 9 CFR 1910.1200. Standard must be consulted for specific requirements.

U. S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1210-0072

IDENTITY (AS USED ON LABEL AND LIST)

Colored Shingle Roof Coating

NOTE: BLANK SPACES ARE NOT PERMITTED. IF ANY ITEM IS NOT APPLICABLE, OR NO INFORMATION IS AVAILABLE THE SPACE MUST BE MARKED TO INDICATE THAT.

SECTION I

MANUFACTURER NAME:

ENVIROSAFE MANUFACTURING CORP.

East Coast: 7634-B Progress Cir. \* West Coast: 817 Benton Way Melbourne, FL 32904 Wenatchee, WA98801

EMERGENCY PHONE NUMBER

CHEMTREC (800) 424-9300 Domestic (703) 527-3887 International

TELEPHONE NUMBER FOR INFORMATION

1-800-800-5737

DATE PREPARED/UPDATED

01/09/2002 11/03/2007

CHEMTREC COMPANY CODE: C937

D.O.T. Hazard Class: Non-Hazardous-Not Regulated

SECTION II - Hazardous Ingredients / Identity Information

Table with 5 columns: Hazardous Components (Specific Chemical Identity): Common Name, OSHA PEL, ACGH TLV, Other Limits Recommended, %

N/E - Not Established N/A - Not Applicable

SECTION III - Physical / Chemical Characteristics

Table with 2 columns: Property (Boiling Point, Vapor Pressure, etc.) and Value (491 deg. F, 0.010, etc.)

SECTION IV - Fire and Explosion Hazard Data

FLASH POINT (METHOD USED): 214 deg. F METHOD USED: COC LEL: 0.62% UEL: 4.24%
EXTINGUISHING MEDIA: Use extinguishing suitable for surrounding fire Foam, CO2 Alcohol Foam, Dry Chemical, Water Fog
SPECIAL FIRE FIGHTING PROCEDURES: Wear Self-contained Breathing apparatus (positive pressure demand OSHA/NIOSH Approved or equivalent and full protective gear.
UNUSUAL FIRE FIGHTING AND EXPLOSION HAZARDS: None
FLAMMABLE LIMITS: None

SECTION V - Reactivity Data

STABILITY: STABLE: X UNSTABLE:
INCOMPATIBLE (MATERIALS TO AVOID) : Oxidizing materials can cause reaction
HAZARDOUS DECOMPOSITIONS OR BYPRODUCTS: Carbon dioxide and/or carbon monoxide
HAZARDOUS POLYMERIZATION : MAY OCCUR WILL NOT OCCUR: X
CONDITIONS TO AVOID: None

**SECTION VI – Health Hazard Data**

ROUTE(S) OF ENTRY: INHALATION? Yes SKIN? Yes INGESTION? Yes EYES? Yes

**HEALTH HAZARDS (ACUTE AND CHRONIC):**

Breathing: Can cause chemical pneumonitis.

Eyes: Eye irritation, redness & tearing on contact

Skin: May cause irritation, dryness and dermatitis on prolonged contact

Swallowing: Can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

CARCINOGENICITY: No HPT? No LARC MONOGRAPHS? No OSHA REGULATIONS? No

SIGNS AND SYMPTOMS OF EXPOSURE: Low hazard for usual industrial or commercial handling.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N/A

**EMERGENCY AND FIRST AID PROCEDURES:**

1. EYES: Flush with clear water for 15 minutes.
2. SKIN: Wash affected skin areas thoroughly with soap and water.
3. INGESTION: **DO NOT INDUCE VOMITING.** If swallowed, give 2 glasses of water to drink. Consult a Physician.
4. INHALATION: Move to fresh air. If breathing is difficult, administer oxygen.

**FOR CASES OF INGESTION OR EYE EXPOSURE, SEEK MEDICAL ATTENTION.**

**SECTION VII – Precautions for Safe Handling and Use**

**STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED:**

1. CONTAIN SPILL, absorb and store in DOT approved container.
2. Wash area with soap and water and rinse.

WASTE DISPOSAL METHOD: Dispose according to local regulations

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:**

Keep container sealed when not in use.

Protect from extreme changes in temperature. **DO NOT FREEZE**

Keep product in original shipping container.

Contact local authorities for method of proper drum disposal.

Keep out of reach of children.

Read product label carefully before use.

**SECTION VIII – Control Measures**

RESPIRATORY PROTECTION: Use Adequate Ventilation

VENTILATION: LOCAL EXHAUST - YES  
MECHANICAL - N/A

SPECIAL - N/A  
OTHER - N/A

PROTECTIVE WEAR: Wear Rubber Gloves

EYE PROTECTION: Wear Splash Goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: It is good industrial hygiene practice to minimize skin contact.

WORK HYGIENIC PRACTICES: No other special precautionary measures should be needed under anticipated condition of use.

**SECTION XI - TRANSPORTATION INFORMATION:**

DOT (USA) STATUS: Not regulated

TDG (CANADA) STATUS: Not regulated

AIR - INTERNATIONAL CIVIL AVIATION ORGANIZATION ICAO - ICAO STATUS: Not regulated

SEA - INTERNATIONAL MARITIME DANGEROUS GOODS (IMDG) - IMDG STATUS: Not regulated

---

**SECTION XII - REGULATORY INFORMATION:**

---

This document has been prepared in accordance with the MSDS Requirements of the OSHA HAZARD COMMUNICATION STANDARD 29 CF4 1910. 1200

**OSHA HAZARDOUS CHEMICAL(S):** None

**CALIFORNIA PROPOSITION 65 (SAFE DRINKING WATER TOXIC ENFORCEMENT ACT OF 1986):**

**MATERIAL(S) KNOWN TO THE STATE TO CAUSE CANCER:** None materials known to the state to

Cause adverse reproductive effect: None

**MASSACHUSETTS SUBSTANCE LIST:** None

**NEW JERSEY WORKPLACE HAZARDOUS SUBSTANCE LIST:** None

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.

VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY MATERIAL IF REASONABLE SAFETY PROCEDURES ARE NOT ADHERED TO AS STIPULATED IN THE DATA SHEETS. ADDITIONALLY, VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSON PROXIMATELY CAUSED BY ABNORMAL USE OF THE MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED. FURTHERMORE, VENDEE ASSUMES THE RISK IN THE USE OF THIS MATERIAL.